

A3001-A03/11A 自封加油枪

Automatic Nozzle

● 特点

A3001-A03(11A)自动加油枪按照用户理想的样式设计。其造型小巧，重量轻，使用方便。适用于加注柴油、煤油和汽油。

● Characteristic

Model A3001--A03(11A) Automatic Nozzle is designed according to ideal pattern desired by users. With compact structure, light weight and convenient use, the nozzle is applicable to diesel, kerosene and gasoline.

● 技术参数 Technical Specification

产品型号 Model	A03	A03P
进油口 Oil Inlet	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"
出油口 Oil Outlet	15/16"	13/16"
流量 Flow Rate	0-59L/min	0-55L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa



A3001-A03A 自封加油枪

Automatic Nozzle

● 特点

A3001-A03A自封加油枪按照原A03型自封油枪基础上进行改造，生产的配装安全装置的新款自封油枪，适用于加注汽油、柴油和煤油。

● Characteristic

Model A3001-A03A Automatic Nozzle is a new-type automatic nozzle, which is renovated and produced on the basis of former Model A03 automatic nozzle, is equipped with safety device, The nozzle is applicable to diesel, kerosene and gasoline.

● 技术参数 Technical Specification

产品型号 Model	A03A	A03AP
进油口 Oil Inlet	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"
出油口 Oil Outlet	15/16"	13/16"
流量 Flow Rate	0-60L/min	0-52L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa



A3001-12A 自封加油枪

Automatic Nozzle

● 特点

A3001-12A自封加油枪专为预付款式系统而设计。其具有A3001-A03（11A）所有功能外，当泵油系统加压到一定程度。油枪才可以开启；无压力时油枪会自动闭合。所以，当油枪置于加油机储藏位置时，其是闭合的。

● Characteristic

Model A3001-12A Automatic Nozzle is specifically designed for pre-paid self-service and card systems. Besides all the functions of Model A3001-A03(11A), only when the oil pumping system is pressurized to a certain extent, the nozzle will open; the nozzle will close automatically if there is no pressure. Therefore, the nozzle is closed when it is set at storage position on the fuel dispenser.

● 技术参数 Technical Specification

产品型号 Model	12A	12AP
进油口 Oil Inlet	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"
出油口 Oil Outlet	15/16"	13/16"
流量 Flow Rate	0-59L/min	0-55L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa



A3001-H07 自封加油枪

Automatic Nozzle

● 特点

A3001-H07自封加油枪适用于大型及高流量加油站，重型卡车、汽车和车队服务。若你经营一个全方位的加油站，或是给自己的车队加油，或者是管理一个卡式加油站，使用成本低，寿命长和耐用性能好的H07高流量加油枪会提高您的工作效率和销售利润。

● Characteristic

Model A3001-H07 Automatic Nozzle is applicable to large-scale and high flow gas station, heavy-duty truck, vehicle and fleet service. If you run an all-around gas station, or fill your own fleet, or manage a card-type gas station, the Model H07 high flow nozzle with low cost, long service life and good durability will increase your working efficiency and sales profit.

● 技术参数 Technical Specification

产品型号 Model	H07	H07P
进油口 Oil Inlet	BSP1" NPT1"	BSP1" NPT1"
出油口 Oil Outlet	1"	15/16"
流量 Flow Rate	0-120L/min	0-100L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa



A3002-11BA 自封加油枪

Automatic Nozzle

- 特点**
A3002-11BA自封加油枪适用于汽油、柴油、煤油及汽车中等速度的加油服务，具有开启轻巧的特点。

- Characteristic**
Model A3002-11BA Automatic Nozzle is applicable for medium speed refueling service of gasoline, diesel and kerosene for vehicles with characteristics of easy switch-on.

技术参数 Technical Specification		
产品型号 Model	11BA	11BAP
进油口 Oil Inlet	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"
出油口 Oil Outlet	15/16"	13/16"
流量 Flow Rate	0-59L/min	0-52L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa



A3002-12B 自封加油枪

Automatic Nozzle

- 特点**
A3002-12B自封加油枪适用于柴油、煤油快速的加油服务而设计，使用12B自封加油枪会提高您的工作效率。

- Characteristic**
Model A3002-12B Automatic Nozzle is designed and applicable for the high speed refueling service of diesel and kerosene, and the utilization of Model 12B automatic nozzle will increase your working efficiency.

技术参数 Technical Specification	
产品型号 Model	12B
进油口 Oil Inlet	BSP3/4" NPT3/4"
出油口 Oil Outlet	1"
流量 Flow Rate	0-70L/min
工作压力 Working pressure	0.18Mpa



A3003-11CA/12CA 自封加油枪

Automatic Nozzle

- 特点**
A3003-11CA自封加油枪按照用户理想的样式设计。使用方便，同时结实、耐用，适用于加注汽油、柴油哦、煤油。
A3003-12CA自封加油枪其具有A3002-11CA所有功能外，当泵油系统加压到一定程度，油枪才可以开启；无压力时油枪会自动闭合。

- Characteristic**
Model A3003-11CA Automatic Nozzle is designed according to ideal pattern desired by users. With light weight, convenient use, firmness and durability, it's applicable to gasoline, diesel and kerosene.
Model A3003-12CA Automatic Nozzle, besides all the functions of Model A3002-11CA, only when the oil pumping system is pressurized to a certain extent,the nozzle will open; and the nozzle will close automatically if there is on pressure.

技术参数 Technical Specification				
产品型号 Model	11CA	11CAP	12CA	12CAP
进油口 Oil Inlet	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"
出油口 Oil Outlet	15/16"	13/16"	15/16"	13/16"
流量 Flow Rate	0-59L/min	0-53L/min	0-59L/min	0-53L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa	0.18Mpa	0.18Mpa



A3004-11D 自封加油枪

Automatic Nozzle

- 特点**
自封加油枪 适用于加注柴油、煤油和汽油。
- Characteristic**
Model A3004-11D Automatic Nozzle is applicable for filling diesel oil, kerosene and gasoline.

技术参数 Technical Specification		
产品型号 Model	11D	11DP
进油口 Oil Inlet	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"
出油口 Oil Outlet	15/16"	13/16"
流量 Flow Rate	0-58L/min	0-53L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa



A3005-11E 自封加油枪

Automatic Nozzle

- **特点**
自封加油枪 其造型小巧，适用于加注柴油、煤油和汽油。

- **Characteristic**
Model A3005-11E Automatic Nozzle, with compact structure, is applicable to diesel, kerosene and gasoline.

技术参数 Technical Specification		
产品型号 Model	11E	11EP
进油口 Oil Inlet	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"
出油口 Oil Outlet	15/16"	13/16"
流量 Flow Rate	0-60L/min	0-55L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa



A3006-11F 自封加油枪

Automatic Nozzle

- **特点**
A3006-11F自封加油枪新颖设计。使用方便，同时结实、耐用，适用于加注柴油、煤油和汽油。

- **Characteristic**
Model A3006-11F Automatic Nozzle adopts a novel design. With convenient use firmness and durability, it is applicable to diesel, kerosene and gasoline.

技术参数 Technical Specification		
产品型号 Model	11F	11FP
进油口 Oil Inlet	BSP3/4" NPT3/4"	BSP3/4" NPT3/4"
出油口 Oil Outlet	15/16"	13/16"
流量 Flow Rate	0-60L/min	0-55L/min
工作压力 Working pressure	0.18Mpa	0.18Mpa



A3007-2135G 自封加油枪

Automatic Nozzle

- **特点**
A3007-2135G自封加油枪 适用于大型及高流量加油站，重型卡车及汽车加油服务。

- **Characteristic**
Model A3007-2135G Automatic Nozzle is applicable to the refueling service for large-scale and high flow gas station, heavy-duty truck and vehicle.

技术参数 Technical Specification	
产品型号 Model	2135G
进油口 Oil Inlet	BSP1 1/2" NPT1 1/2"
出油口 Oil Outlet	35mm
流量 Flow Rate	0-250L/min
工作压力 Working pressure	0.2Mpa



油枪架

Nozzle Holder

技术参数 Technical Specification	
名称 Name:	JSQTY-3 Nozzle Holder 油枪架
包装 Package:	12pcs/carton
净重 Net Weight:	12kgs
毛重 Gross Weight:	13kgs
尺寸 Dimension:	450 × 420 × 400mm



技术参数 Technical Specification	
名称 Name:	JSQTY-4 Nozzle Holder 油枪架
包装 Package:	12pcs/carton
净重 Net Weight:	12kgs
毛重 Gross Weight:	13kgs
尺寸 Dimension:	450 × 420 × 400mm



技术参数 Technical Specification	
名称 Name:	N8328 Nozzle Holder 油枪架
包装 Package:	12pcs/carton
净重 Net Weight:	12kgs
毛重 Gross Weight:	13kgs
尺寸 Dimension:	450 × 420 × 400mm



技术参数 Technical Specification	
名称 Name:	KSTTY80B Nozzle Holder 油枪架
包装 Package:	12pcs/carton
净重 Net Weight:	12kgs
毛重 Gross Weight:	13kgs
尺寸 Dimension:	450 × 420 × 400mm



技术参数 Technical Specification	
名称 Name:	JSQTY-5 Nozzle Holder 油枪架
包装 Package:	12pcs/carton
净重 Net Weight:	10kgs
毛重 Gross Weight:	11kgs
尺寸 Dimension:	450 × 420 × 400mm



技术参数 Technical Specification	
名称 Name:	JSQTY-6 Nozzle Holder 油枪架
包装 Package:	12pcs/carton
净重 Net Weight:	12kgs
毛重 Gross Weight:	13kgs
尺寸 Dimension:	450 × 420 × 400mm

